- Roland, A. E. 1941. Notes on the flora of Nova Scotia II. Rhodora 43: 337-344.
- St. John, H. and D. White. 1920. The genus Galinsoga in North America. Rhodora 22: 97-101.
- Salisbury, E. 1961. Weeds and aliens. Collins Publishing Co., London.
- Shontz, N. N. 1969. The divergence of two ecological races of Galinsoga ciliata (Compositae) in western Massachusetts. Ph.D. Thesis, Smith College, Northampton, Mass. 105 p.

Turner, B. L., M. Powell, and R. M. King. 1962. Chromosome numbers in the Compositae. VI. Additional Mexican and Guatemalan species. Rhodora 64: 251-271.

ASTER PARVICEPS (BURGESS) MACK. & BUSH AND ASTER BRACHYACTIS BLAKE, NEW FOR KANSAS. — While preparing a treatment of the genus Aster (Compositae) for Kansas, specimens of two species were examined which have not been previously reported for the state. The range of Aster parviceps (Burgess) Mack. & Bush is thus extended west from Missouri and of Aster brachyactis Blake, east from Colorado. Aster vimineus Lam. is excluded from the flora since previous reports were based on misdeterminations of Aster pilosus Willd., A. simplex Willd., and A. parviceps (Burgess) Mack. & Bush.

Representative specimens of the two species are:

Aster brachyactis Blake. Finney Co.: sandy bank of Arkansas River, 1 mi s Holcomb, 11 Oct. 1968, Stephens 29676 (KANU). Morton Co: grasslands by Cimmaron River, 7 mi n, 1/2 e Elkhart, 6 Oct. 1962, Wilson 5523 (KSTC).

Aster parviceps (Burgess) Mack. & Bush. Douglas Co.: prairie over sandstone, 11/4 mi e, 1 s Baldwin, 14 Oct. 1967, Johnson 1187 (KANU). Labette Co.: prairie fence row, 5 mi w Mound Valley, 28 Sept. 1968, Stephens 29617 (KANU). Also from: Allen, Anderson, Bourbon, Chase, Coffey, Elk, Greenwood, Linn, Neosho, and Wilson Counties.

KERMIT L. JOHNSON UNIVERSITY OF KANSAS, LAWRENCE 66044